

Generalizing Several Theoretical Deterministic Secure Direct Bidirectional Communications to Improve Their Capacities

Z. J. Zhang and Z. X. Man

Wuhan Institute of Physics and Mathematics, Chinese Academy of Sciences, Wuhan 430071, China

*Email: zhangzj@wipm.ac.cn

(Dated: February 1, 2008)

Several theoretical Deterministic Secure Direct Bidirectional Communication protocols are generalized to improve their capacities by introducing the superdense-coding in the case of high-dimension quantum states.

PACS Number(s): 03.67.Hk, 03.65.Ud

Recently, we propose three theoretical Deterministic Secure Direct Bidirectional Communication protocols [1-3]. All these protocols can be generalized to improve their capacities by introducing the superdense-coding in the case of high-dimension states [4-5].

This work is supported by the National Natural Science Foundation of China under Grant No. 10304022.

- [1] Zhanjun Zhang, quant-ph/0403186.
- [2] Z. J. Zhang and Z. X. Man, quant-ph/0403215.
- [3] Z. J. Zhang and Z. X. Man, quant-ph/0403217.
- [4] X. S. Liu, G. L. Long, D. M. Tong and Feng Li, Phys. Rev. A **65**, 022304 (2002).
- [5] A. Grudka and A. Wojcik, Phys. Rev. A **66**, 014301 (2002).